

ACID REDUCER MAXIMUM STRENGTH- famotidine tablet, film coated
Rite Aid Corporation

Rite Aid Corporation Acid Reducer Drug Facts

Active ingredient (in each tablet)

Famotidine 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture and light

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

SEE NEW WARNINGS

Compare to the active ingredient of Maximum Strength Pepcid® AC

ACID REDUCER

Famotidine Tablets, 20 mg

acid reducer

MAXIMUM STRENGTH

Just one tablet prevents & relieves heartburn due to acid indigestion

ACTUAL SIZE

25 TABLETS

DrugFacts (continued)

Inactive ingredients: carmellose sodium, croscarmellose sodium, hydroxypropyl methylcellulose, polyvinylpyrrolidone, titanium dioxide.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

[illegible]

Directions

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (See 222-3223)

Stop use as a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

Drug Facts (continued)

Each arthrum over 3 months. This may be sign of a more serious condition.

difficulties

to bathe with light-headedness, sweating, or chest pain or shoulder pain with shortness of breath; swelling; pain spreading to arms, neck or shoulders; or lifting the affected arm

fever or chills

weight loss

nausea or vomiting

stomach pain ■ kids y of disease

signs of a serious condition. See your doctor with other acid reducers

Do not use if you have trouble swallowing food, vomiting with blood, or bloody or black stools. There may be

Always Allergalate-Don't use it if you are allergic to formaldehyde or other acid derivatives

சாதிமதவாதம்

relates have been associated with acid indigestion and sour stomachs

Amotidin 20 mg. Acide duacur

Drug Facts	Active ingredient	Purpose
------------	-------------------	---------

DISTRIBUTED BY: RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

If you're not satisfied, we'll happily refund your money.

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

NDC 11822-0194-5

Compare to the active ingredient of
Maximum Strength Pepcid® AC*

Just one tablet prevents & relieves heartburn due to acid indigestion

ACTUAL SIZE

RITE

CONVENIENT RECLOSING TAB

**25**
TABLETS**ACID REDUCER MAXIMUM STRENGTH**

famotidine tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0194
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L194
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0194-3	1 in 1 CARTON	09/29/2006	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-0194-5	25 in 1 CARTON	09/29/2006	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:11822-0194-7	2 in 1 CARTON	09/29/2006	
3		85 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:11822-0194-2	30 in 1 CARTON	04/13/2008	07/29/2015

4	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077351	09/29/2006	

Labeler - Rite Aid Corporation (014578892)

Revised: 7/2020

Rite Aid Corporation